In The Claims:

Please replace original claims 1-22 with the following replacement claim set:

1. (Original) A heat-curable molding material pellet comprising a heat-curable epoxy-containing material, a thermoplastic component and a curing agent for said epoxy-containing material, wherein said pellet has a multiphase structure comprising a core containing a first heat-curable component and a sheath containing a second heat-curable component, disposed at least partially around the periphery of said core.

2. (Original) The heat-curable molding material pellet as claimed in claim 1, wherein said epoxy-containing material and said thermoplastic component are contained in said first heatcurable component and said curing agent and said thermoplastic component are contained in said second heat-curable component.

3. (Original) The heat-curable molding material pellet as claimed in claim 1, wherein said curing agent and said thermoplastic component are contained in said first heat-curable component and said epoxy-containing material and said thermoplastic component are contained in said second heat-curable component.

4. (Original) The heat-curable molding material pellet as claimed in claim 1, wherein said thermoplastic component and said curing agent are contained in said first heat-curable component, said thermoplastic component and said curing accelerator are contained in said second heat-curing component, and said epoxy-containing material is contained in either one or both of said first heat-curing component and said second heat-curing component.

5. (Original) The heat-curable molding material pellet as claimed in claim 4, wherein said curing agent is a dicyandiamide, an organic acid hydrazide, an acid, an acid anhydride or a combination thereof, and said curing accelerator is an imidazole, a tertiary amine compound or a combination thereof.

- 6. (Currently Amended) The heat-curable molding material pellet as claimed in any one of claims claim 1 to 5, wherein said epoxy-containing material contains an epoxidized thermoplastic resin and serves also as a thermoplastic component.
- 7. (Original) The heat-curable molding material pellet as claimed in claim 6, wherein said epoxidized thermoplastic resin contains an ethylene-glycidyl (meth)acrylate copolymer.
- 8. (Currently Amended) The heat-curable molding material pellet as claimed in any-one of elaims claim 1 to 7, wherein said sheath partially, mostly or completely surrounds said core.
- 9. (Currently Amended) The heat-curable molding material pellet as claimed in any one of elaims claim 1 to 7, wherein said pellet has a multilayer structure that is generally cylindrical in shape, with said core having one or both ends exposed.
- 10. (Currently Amended) The heat-curable molding material pellet as claimed in any one of elaims claim 1 to 7, wherein said pellet has a multilayer structure comprising alternating layers of said heat-curable components disposed one on top of the other.
- 11. (Original) The heat-curable molding material pellet as claimed in claim 10, wherein said core comprises a core layer of said first heat-curable component, said sheath comprises two sheath layers of said second heat-curable component, and said core layer is sandwiched between said sheath layers.
- 12. (Currently Amended) The heat-curable molding material pellet as claimed in any one of elaims claim 1 to 7, wherein said pellet is generally spherical or particle-like in shape, with said core being completely or at least mostly encased by said sheath.

- 13. (Currently Amended) The heat-curable molding material pellet as claimed in any one of claims claim 1 to 7, wherein said sheath is in the form of a matrix, and said pellet comprises multiple cores of said first heat-curable component embedded in said matrix.
- 14. (Original) The heat-curable molding material pellet as claimed in claim 13, wherein a portion of one or more of said cores is exposed.
- 15. (Original) The heat-curable molding material pellet as claimed in claim 13, wherein each of said cores is completely or at least mostly surrounded by said matrix.
- 16. (Currently Amended) A method of making an article comprising:

forming a plurality of pellets into a fully cured, partially cured or uncured article, wherein at least one of the pellets is a heat curable molding material pellet as claimed in any one of claims claim 1 to 15.

- 17. (Currently Amended) The method as claimed in claim 16, wherein most or each of the pellets is a the heat curable molding material pellet as claimed in any one of claims 1 to 15.
- 18. (Currently Amended) The method as claimed in claim 16 or 17 further comprising: mixing the plurality of pellets with a mixing device that uses a single screw, has a relatively low kneading capacity or both.
- 19. (Currently Amended) The method as claimed in any one of claims claim 16 to 18 further comprising:

melting/kneading the plurality of pellets to form a heat-curable molding material, said melting/kneading occurring at a temperature lower than the curing temperature of the heat-curable molding material,

wherein the thermoplastic component is a resin which can be melted/kneaded at a temperature lower than the curing temperature of the heat-curable molding material, and a partially cured or an uncured article is obtained from said method.

20. (Currently Amended) The method as claimed in any one of claims claim 16 to 18 further comprising:

melting/kneading the plurality of pellets to form a heat-curable molding material, said melting/kneading occurring at a temperature lower than the curing temperature of the heat-curable molding material;

forming the heat-curable molding material into a partially cured or uncured article; and forming the partially cured or uncured article into a mostly cured or fully cured article and at a temperature equal to or higher than the curing temperature of the heat-curable molding material.

wherein the thermoplastic component is a resin which can be melted/kneaded at a temperature lower than the curing temperature of the heat-curable molding material.

21. (Currently Amended) The method as claimed in any one of claims claim 16 to 18 further comprising:

melting/kneading the plurality of pellets to form a heat-curable molding material, said melting/kneading occurring at a temperature equal to or higher than the curing temperature of the heat-curable molding material,

wherein a mostly cured or fully cured article is obtained from said method.

22. (Currently Amended) An article made according to the method as claimed in any one of elaims claim 16 to 21.